

AMPLIACIONES DE ÁMBITO / RANGE EXTENSION

The blind snake *Leptotyphlops goudotii* (Serpentes: Leptotyphlopidae), in Murciélagos Islands, Costa Rica.

Received 8-XII-1999. Corrected 5-VI-2000.
Accepted 16-VI-2000.

The blind snake *Leptotyphlops goudotii* inhabit the dryforests of northwestern Pacific lowlands of Costa Rica, but has not been reported in the insular area of this region. In may 1999, an adult specimen was collected in San José Island (Murciélagos Islands 10° 51' N, 85° 55' W), in the Peninsula of Santa Elena in Guanacaste province. The specimen was deposited in the University of Costa Rica Museum of Zoology (UCR-14125). We thank to

Federico Bolaños, Gerardo Chaves and Federico Valverde for the facilities in the Museum of Zoology of the University of Costa Rica.

Peters, J. A. & B. Orejas-Miranda. 1970,. Catalogue of the Neotropical Squamata. Part. I. Snakes. Bull. U. S. Nat. Mus. 297: 1-347.

Savage, J. M. & J. Villa. 1986. An introduction of the Herpetofauna of Costa Rica. Soc. Stud. Amph. Rept. Contrib. Herpetol. 3.

Alberto León-Soler¹ y Alejandro Solórzano²
1 Centro de Investigación en Ciencias del Mar y Limnología (CIMAR), Universidad de Costa Rica, 2060 san José, Costa Rica. E-mail: aleonso@racsa.co.cr
2 Serpentario Nacional, P.O. Box 2157-1002, San José, Costa Rica, Fax: (506) 233-5520, E-mail: asolorz@racsa.co.cr