

SMT1

Geographic information and general characteristics of the sampling stations in the Colombian Caribbean.  
 ARCO, Coralline Archipelagos Ecoregion; MAG, Magdalena Ecoregion; MOR, Gulf of Morrosquillo Ecoregion

Ecoregion	Station	Department	Municipality	Locality	Latitude	Longitude	Characteristics
ARCO	E1	Bolívar	Cartagena de Indias	Península de Barú	10.184666	-75.643253	Rocky and sandy coastline with few interventions. Mangroves near the coastline. Leaf litter, coral remains, and logs. Calcareous sand.
	E2			Isla Tintipán	9.789974	-75.840315	Rocky coastline in some cases intervened. The only existing sandy coastline is used as a tourist beach. Mangroves along the entire edge of the Island's coastline. Logs and coral remains. Calcareous sand.
	E3			Isla Fuerte	9.396457	-76.183658	Rocky and sandy coastline with few interventions. Herbaceous plants and mangrove near the coastline. Leaf litter, coral remains, logs and decomposing plant material. Calcareous sand.
MAG	E1	Atlántico	Puerto Colombia	Punta Sabanilla	11.042941	-74.89002	Sandy coastline with few interventions. Highly influenced by the discharges of the Magdalena River. Mangroves removed from the coastline. Logs. Sand of continental origin.
	E2		Juan de Acosta	Santa Verónica	10.854117	-75.134841	Sandy coastline with few interventions. Mangroves near the coastline. Logs and decomposing plant material. Mixed, calcareous sand of continental origin.

Ecoregion	Station	Department	Municipality	Locality	Latitude	Longitude	Characteristics
	E3	Bolívar	Cartagena de Indias	Arroyo de Piedra, Condominio Bahía de Sol	10.64223	-75.422951	Sandy coastline intervened for tourism purposes in some sectors. Few herbaceous plants and tree vegetation removed from the coastline. Logs and decomposing plant material. Sand of continental origin.
MOR	E1	Sucre	San Onofre	Rincón del Mar	9.776012	-75.643443	Sandy coastline with few interventions. Herbaceous plants and mangroves near the coastline. Logs and decomposing plant material. Mixed, calcareous sand of continental origin.
	E2		Tolú	Tolú	9.61284	-75.572868	Sandy coastline with few interventions. Herbaceous plants and mangroves near the coastline. Logs and decomposing plant material. Mixed, calcareous sand of continental origin.
	E3	Córdoba	San Bernardo de Viento	Tinajones, Vereda Boca Negra	9.379197	-75.974898	Sandy coastline with few interventions. Highly influenced by the discharges of the Sinú River. Few herbaceous plants and tree vegetation removed from the coastline. Decomposing plant material and logs. Sand of continental origin.

SMF1

Photographic record in the sampling stations




Rocky and sandy coastline in ARCO-E1, Península de Barú.



Coastal edge in ARCO-E2, Isla Tintipán.



Rocky and sandy coastline in ARCO-E3, Isla Fuerte.



Sandy coastline in MOR-E1, Rincón del Mar.



Sandy coastline in MOR-E2, Tolú.



Sandy coastline in MOR-E3, Tinajones.



Sandy coastline covered with logs in MAG-E1, Puerto Colombia-Punta Sabanilla.



Sandy coastline in MAG-E2, Santa Verónica.



Sandy coastline in MAG-E3, Condominio Bahía del Sol.